

South Griffin J-13

WELL SUMMARY

GENERAL INFORMATION

D #	243
Location	44°22'37.77" N 58°01'54.76" W
Company	Husky-Bow Valley et al
UWI	300J13430058001
Area	Scotian Shelf
Spud Date	January 8, 1984
Well Term. Date	August 20, 1984
Drilling Rig	Rowan Gorilla I
Water Depth (m)	63.4
Rotary Table (m)	39.6
Total Depth MD (m)	5,911
Well Type	Exploratory
Well Status	P & A
Info. Release Date	Released

CASING

Casing Size x Depth (metric)

914 mm x 324.3 m
508 mm x 908.6 m
340 mm x 3,102.9 m
244 mm x 3,102.9 m

Casing Size x Depth (imperial)

36" x 1,063.9'
20" x 2,980.9'
13 5/8" x 10,177'
9 5/8" x 15,461.9'

GEOLOGIC TOPS :

Formation	MD (m)
Banquereau Fm	In casing
Wyandot Fm	1,587.2
Dawson Canyon Fm	1,774.4
Petrel Mb	1,873.0 – 1,888.0
Logan Canyon Fm	2,170.0
Marmora Mb	2,170.0
Sable Mb	2,253.5
Cree Mb	2,296.8
Naskapi Mb	2,881.5
Missisauga Fm	3,214.0
Missisauga Upper Mb	3,214.0
("O" Marker)	3,502.0 - 3,592.0
Missisauga Middle Mb	3,592.0
MicMac Fm	4,611.5
Approx. Top OP	5,023.0

ADDITIONAL REPORTS AND LOGS

Dual Induction-SFL, Run 1-5
Simultaneous Compensated Neutron-Litho Density, Run 1-3

Dual Laterolog Micro SFL, Run 1-3
 Merged Log Data 1:1200, Run 1-3
 Simultaneous Compensated Neutron-Litho Density (Reduced Mylar)
 Depth Derived Borehole Compensated Sonic Log Run 1-5
 Mud Log
 Cyberdip (On Reduced Mylar Only)
 Cement Volume Log, Run 1-3
 Dual Induction-SFL (Reduced Mylar)
 Dual Laterolog Micro SFL (Reduced Mylar)
 Repeat Formation Tester, Run 1-3
 Cement Evaluation Log, Run 1
 Four-Arm High Resolution Continuous Dipmeter Run 1-3
 Four-Arm High Resolution Continuous Dipmeter (Computed), Run 1-3
 Compensated Neutron-Formation Density (Reduced Mylar)
 Dual Laterolog Micro SFL (Reduced Mylar)
 Depth Derived Borehole Compensated Sonic Log (Reduced Mylar)
 Directional Log (Computed), Run 1-3
 Auxiliary Measuring-Sub Log, Run 1
 Cement Bond-Variable Density Log, Run 1
 Four-Arm High Resolution Continuous Dipmeter Run 1-3
 Report on Biostratigraphy and Depositional Environments
 Four-Arm High Resolution Continuous Dipmeter (Computed), Run 1-3
 Mud-Gas Log
 Well Seismic Report
 Horizontal Plot
 Plan and Field Notes
 Biostratigraphy-Final Report
 Core Photo's (Slabbed), Core 1
 Thin Section Petrography
 Directional Survey, Run 1, 2, 3
 Seismic Quicklook, Run 1-3
 Well Seismic Report
 Core Sampling Results, Run 1-3
 Vertical Seismic Profile
 Jack Up Rig Foundation Analysis
 Natural Gamma Ray Spectroscopy Log

SAMPLES

Sample Type	Interval (m)	# of Samples
Washed Cuttings	450 – 5910	907
Unwashed Cuttings	450 – 5,911	984
Sidewall Core	4,316	1

Core

Core #	Interval (m)	Recovery (m)
1	4,138.3 – 4,141.3	3.0

SLIDES

Slide Type	Interval (m)	# of Slides	Sample Source
Micropaleo	440- 4,225	127	cuttings
Micropaleo	4,245-5,905	56	cuttings
Micropaleo	4,141.3	1	company core
Micropaleo	450 – 5,911	287	cuttings
Palynology	450 - 5,905	183	cuttings
Palynology	450 – 5,911	585	company cuttings

Palynology	1,082.6 - 5,886	226	company sidewall core
Palynology	1, 082.6 – 5,905	93	company sidewall core
Palynology	4,138.8 – 4,141.0	6	company core